

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	49399	(verif\$9 certifi\$9 valid\$6 look\$4 compar\$5) near4 (node\$2 workstation\$1 computer\$2 station \$2 device\$1 component\$2 client \$2) near6 (id identi \$9 information\$1 data security name \$1 address\$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L2	610011	(node\$1 workstation\$1 computer\$2 system \$1 secur\$3 address \$2) near3 (id identit \$3 identifier\$1 identification\$1 information\$1 address\$2 number \$1 information\$1 location\$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L3	167876	(administrat\$4 authentikat\$3 authori\$7 certifi\$8 verif\$8 manag\$7 security) near2 (machine\$1 system \$1 server\$1 infrastructure\$1 node computer)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L4	102547	(receiv\$3 obtain\$3 send\$3 sent\$1) near3 L2	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47

L5	16863	((713/151) or (713/154) or (726/2) or (726/3) or (726/5) or (726/6) or (726/15) or (726/30) or (709/200) or (709/201) or (709/203) or (709/213) or (709/214) or (709/215) or (711/147) or (711/148) or (711/149) or (380/201) or (380/202) or (380/241) or (380/33)).OCLS.	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L6	2811	L3 near3 L4	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L7	43980	(verif\$8 compar\$4 match\$3 certifi\$8 acknowledge\$1 append\$3) near5 L2	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L8	460272	(node\$1 workstation\$1 computer\$2 system \$1) near3 (id identit \$3 identifier\$1 identification\$1 information\$1 address\$2 number \$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L9	405034	(table\$1 list\$3 record\$1) near4 (id identi\$9 information \$1 data security name\$1 address \$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L10	78767	(process security\$ address\$2 (channel \$1 near2 number \$1)) near3 (table \$1 list\$1 director \$3)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L11	735	L6 and L10	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47

L12	20200	(verif\$8 compar\$4 match\$3 certif\$8 acknowledge\$1) near5 L8	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L13	2467	L12 near6 L3	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L14	124194	(security\$ address \$2 system\$2 computer\$2 node \$2 (channel\$1 near2 number\$1)) near3 (table\$1 list \$1 director\$3)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L15	906	L13 and L14	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L16	16644	(send\$3 sent request\$3 ask\$3 inquir\$3) near4 (gateway ((administrat\$4 supernet manag\$7 security) near2 (machine\$1 system \$1 server\$1 infrastructure\$1 structure\$1)))	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L17	49057	(security\$ address \$2 (channel\$1 near2 number\$1)) near3 (table\$1 list \$1 director\$3)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L18	72	L5 and L16 and L8 and L12 and L17	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L19	88272	(packet\$5 datagram \$1) near5 (security \$ address\$2 (channel\$1 near2 number\$1) information\$1 data \$1 ip location\$1 destination\$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L20	9503	L19 and L7	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L21	306	L20 and L6	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L22	163	L21 and L10	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47

L23	31638	L9 near6 (server\$1 administrat\$4 manag\$6)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L24	45302	(verif\$9 certif\$9 valid\$6 look\$4 table \$1) near4 (node\$2 workstation\$1 computer\$2 station \$2 device\$1 component\$2 client \$2) near6 (id identi \$9 information\$1 data security name \$1 address\$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L25	34549	L24 and L9	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L26	3678	L1 near6 (server\$1 administrat\$4 manag\$6)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L27	1486	L23 and L26	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L28	1274	L27 and L25	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L29	475	caronni	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L30	41	L28 and (open near3 socket\$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L31	47	caronni near germano	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L32	12785	virtual near3 address\$3	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L33	16	L32 near9 (administrati\$4 near4 (machine\$1 node\$1 system\$1 server\$1))	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L34	395	L32 near9 (manag \$6 near4 (machine \$1 node\$1 system \$1 server\$1))	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L35	330	L34 and request\$4	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L36	125	L35 and table near4 process\$3	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47

L37	1510	(id identifier\$1 identificaiton\$1 (serial near2 number\$1)) near8 (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L38	26919	(id identifier\$1 identificaiton\$1 (serial near2 number\$1)) near4 (process\$3)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L39	1242	L37 and L38	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L40	176	L39 and (administrat\$4 near3 (machine\$1 system \$1 device \$1 computer\$1))	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L41	54	Kumar near3 sandeep	USPAT; IBM_TDB	OR	ON	2010/03/03 09:47
L42	57	gupta near3 amit	USPAT; IBM_TDB	OR	ON	2010/03/03 09:47
L43	14	markson near3 tom	USPAT; IBM_TDB	OR	ON	2010/03/03 09:47
L44	52	schuba near3 christoph	USPAT; IBM_TDB	OR	ON	2010/03/03 09:47
L45	101	scott near3 glenn	USPAT; IBM_TDB	OR	ON	2010/03/03 09:47
L46	13	(L41 L42 L43 L44) and socket\$1	USPAT; IBM_TDB	OR	ON	2010/03/03 09:47
L47	47288	(id identifier\$1 identificaiton\$1 identit\$3 name\$1 (serial near2 number\$1)) near4 (process\$3)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L48	8314	L47 and (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L49	1274	L48 and L37	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L50	125	L49 and socket\$1	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47

L51	237	(append\$4 attach \$4) near5 (securit \$3 secure\$7 encrypt\$8 encipher \$9 encod\$3 private \$1 secret\$1) near6 (context\$1 information\$1 data \$1 algorithm\$1 key) near4 (process \$3)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L52	160	(append\$4 attach \$4) near5 (securit \$3 secure\$7 encrypt\$8 encipher \$9 encod\$3 private \$1 secret\$1) near6 (context\$1 information\$1 data \$1 algorithm\$1 key) near4 (process \$2)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L53	0	L50 and L52	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L54	45	L47 and L52	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L55	3	L54 and (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L56	640253	(node\$1 workstation\$1 computer\$2 system \$1 device\$1) near3 (id identit\$3 identifier\$1 identification\$1 information\$1 address\$2 number \$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L57	470663	(node\$1 workstation\$1 computer\$2 system \$1 device\$1) near3 (id identit\$3 identifier\$1 identification\$1 name\$1 address\$2 number\$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L58	22327	L57 and (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47

L59	150	(process\$2) near5 (associat\$4 correspond\$3 accord\$5 relat\$3) near5 (id identit\$3 identifier\$1 identification\$1 name\$1 address\$2 number\$1) near6 (execut\$4 run\$4 launch\$3) near5 (memory\$2 storage \$2 rom eeprom eprom nvram ram)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L60	33	L58 and L59	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L61	64	(process\$2) near5 (associat\$4 correspond\$3 accord\$5 relat\$3) near5 (id identit\$3 identifier\$1 identification\$1 name\$1 number \$1) near6 (execut \$4 run\$4 launch \$3) near5 (memory \$2 storage\$2 rom eeprom eeprom nvram ram)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L62	3494	(node\$1 workstation\$1 computer\$2 system \$1 device\$1) near5 (id identit\$3 identifier\$1 identification\$1 name\$1 address\$2 number\$1) near5 (associat\$4 correspond\$3 accord\$5 relat\$3) near5 process\$2	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L63	22	L61 and L62	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47

L64	203073	(table\$1 list\$3 acldirector\$3) near5 (id identit\$3 identifier\$1 identification\$1 name\$1 number\$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L65	11	L63 and L64	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L66	40	L62 and L59	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L67	16	L66 and L64	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L68	6620	(channel\$1 link\$1 path\$1) near5 (particular\$2 accord\$4 associat\$4 match\$3) near5 (process\$2)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L69	3425	(channel\$1) near5 (particular\$2 accord\$4 associat\$4 match\$3) near5 (process\$2)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L70	6	(channel\$1) near5 belong\$3 near5 (particular\$2 accord\$4 associat\$4 match\$3) near5 (process\$2)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L71	522	(channel\$1) near9 (virtual\$2 near3 link\$3)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L72	0	L71 near9 (administrati\$4 near4 (machine\$1 node\$1 system\$1 server\$1))	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L73	39	L71 and (administrati\$4 near4 (machine\$1 node\$1 system\$1 server\$1))	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L74	6	L73 and (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
L75	0	L74 and (open near3 socket\$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47

L76	72	L71 and (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2010/03/03 09:47
S1	46749	(verif\$9 certif\$9 valid\$6 look\$4 compar\$5) near4 (node\$2 workstation\$1 computer\$2 station \$2 device\$1 component\$2 client \$2) near6 (id identi \$9 information\$1 data security name \$1 address\$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S2	584442	(node\$1 workstation\$1 computer\$2 system \$1 secur\$3 address \$2) near3 (id identit \$3 identifier\$1 identification\$1 information\$1 address\$2 number \$1 information\$1 location\$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S3	157203	(administrat\$4 authentikat\$3 authori\$7 certif\$8 verif\$8 manag\$7 security) near2 (machine\$1 system \$1 server\$1 infrastructure\$1 node computer)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S4	97466	(receiv\$3 obtain\$3 send\$3 sent\$1) near3 S2	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S5	15518	((713/151) or (713/154) or (726/2) or (726/3) or (726/5) or (726/6) or (726/15) or (726/30) or (709/200) or (709/201) or (709/203) or (709/213) or (709/214) or (709/215) or (711/147) or	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35

		(711/148) or (711/149) or (380/201) or (380/202) or (380/241) or (380/33)).CCLS.				
S6	2588	S3 near3 S4	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S7	42140	(verif\$8 compar\$4 match\$3 certif\$8 acknowledge\$1 append\$3) near5 S2	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S8	439587	(node\$1 workstation\$1 computer\$2 system \$1) near3 (id identit \$3 identifier\$1 identification\$1 information\$1 address\$2 number \$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S9	387283	(table\$1 list\$3 record\$1) near4 (id identi\$9 information \$1 data security name\$1 address \$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S10	75242	(process security\$ address\$2 (channel \$1 near2 number \$1)) near3 (table \$1 list\$1 director \$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S11	689	S6 and S10	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S12	19202	(verif\$8 compar\$4 match\$3 certif\$8 acknowledge\$1) near5 S8	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S13	2319	S12 near6 S3	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S14	117811	(security\$ address \$2 system\$2 computer\$2 node \$2 (channel\$1 near2 number\$1)) near3 (table\$1 list \$1 director\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35

S15	860	S13 and S14	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S16	15336	(send\$3 sent request\$3 ask\$3 inquir\$3) near4 (gateway ((administrat\$4 supernet manag\$7 security) near2 (machine\$1 system \$1 server\$1 infrastructure\$1 structure\$1)))	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S17	46774	(security\$ address \$2 (channel\$1 near2 number\$1)) near3 (table\$1 list \$1 director\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S18	65	S5 and S16 and S8 and S12 and S17	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S19	81871	(packet\$5 datagram \$1) near5 (security \$ address\$2 (channel\$1 near2 number\$1) information\$1 data \$1 ip location\$1 destination\$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S20	8951	S19 and S7	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S21	284	S20 and S6	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S22	153	S21 and S10	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S23	29247	S9 near6 (server\$1 administrat\$4 manag\$6)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S24	42573	(verif\$9 certif\$9 valid\$6 look\$4 table \$1) near4 (node\$2 workstation\$1 computer\$2 station \$2 devices\$1 component\$2 client \$2) near6 (id identi \$9 information\$1 data security name \$1 address\$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35

S25	32407	S24 and S9	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S26	3361	S1 near6 (server\$1 administrat\$4 manag\$6)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S27	1368	S23 and S26	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S28	1175	S27 and S25	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S29	429	caronni	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S30	40	S28 and (open near3 socket\$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S31	36	caronni near germano	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S32	12150	virtual near3 address\$3	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S33	16	S32 near9 (administrati\$4 near4 (machine\$1 node\$1 system\$1 server\$1))	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S34	380	S32 near9 (manag \$6 near4 (machine \$1 node\$1 system \$1 server\$1))	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S35	316	S34 and request\$4	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S36	122	S35 and table near4 process\$3	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S37	1415	(id identifier\$1 identificaiton\$1 (serial near2 number\$1)) near8 (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S38	25237	(id identifier\$1 identificaiton\$1 (serial near2 number\$1)) near4 (process\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S39	1173	S37 and S38	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35

S40	159	S39 and (administrat\$4 near3 (machine\$1 system \$1 device \$1 computer\$1))	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S41	52	Kumar near3 sandeep	USPAT; IBM_TDB	OR	ON	2009/08/29 10:35
S42	56	gupta near3 amit	USPAT; IBM_TDB	OR	ON	2009/08/29 10:35
S43	14	markson near3 tom	USPAT; IBM_TDB	OR	ON	2009/08/29 10:35
S44	51	schuba near3 christoph	USPAT; IBM_TDB	OR	ON	2009/08/29 10:35
S45	95	scott near3 glenn	USPAT; IBM_TDB	OR	ON	2009/08/29 10:35
S46	13	(S41 S42 S43 S44) and socket\$1	USPAT; IBM_TDB	OR	ON	2009/08/29 10:35
S47	44628	(id identifier\$1 identificaiton\$1 identit\$3 name\$1 (serial near2 number\$1)) near4 (process\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S48	7871	S47 and (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S49	1198	S48 and S37	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S50	115	S49 and socket\$1	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S51	225	(append\$4 attach \$4) near5 (securit \$3 secure\$7 encrypt\$8 encipher \$9 encod\$3 private \$1 secret\$1) near6 (context\$1 information\$1 data \$1 algorithm\$1 key) near4 (process \$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35

S52	150	(append\$4 attach \$4) near5 (securit \$3 secure\$7 encrypt\$8 encipher \$9 encod\$3 private \$1 secret\$1) near6 (context\$1 information\$1 data \$1 algorithm\$1 key) near4 (process \$2)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S53	0	S50 and S62	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S54	42	S47 and S62	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S55	3	S54 and (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S56	612733	(node\$1 workstation\$1 computer\$2 system \$1 device\$1) near3 (id identit\$3 identifier\$1 identification\$1 information\$1 address\$2 number \$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S57	451526	(node\$1 workstation\$1 computer\$2 system \$1 device\$1) near3 (id identit\$3 identifier\$1 identification\$1 name\$1 address\$2 number\$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S58	21231	S57 and (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35

S59	141	(process\$2) near5 (associat\$4 correspond\$3 accord\$5 relat\$3) near5 (id identit\$3 identifier\$1 identification\$1 name\$1 address\$2 number\$1) near6 (execut\$4 run\$4 launch\$3) near5 (memory\$2 storage \$2 rom eeprom eprom nvram ram)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S60	32	S58 and S59	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S61	60	(process\$2) near5 (associat\$4 correspond\$3 accord\$5 relat\$3) near5 (id identit\$3 identifier\$1 identification\$1 name\$1 number \$1) near6 (execut \$4 run\$4 launch \$3) near5 (memory \$2 storage\$2 rom eeprom eeprom nvram ram)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S62	3284	(node\$1 workstation\$1 computer\$2 system \$1 device\$1) near5 (id identit\$3 identifier\$1 identification\$1 name\$1 address\$2 number\$1) near5 (associat\$4 correspond\$3 accord\$5 relat\$3) near5 process\$2	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S63	21	S61 and S62	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35

S64	192652	(table\$1 list\$3 and director\$3) near5 (id identifier\$3 identifier\$1 identification\$1 name\$1 number \$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S65	10	S63 and S64	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S66	39	S62 and S59	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S67	15	S66 and S64	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S68	6295	(channel\$1 link\$1 path\$1) near5 (particular\$2 accord \$4 associat\$4 match\$3) near5 (process\$2)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S69	3271	(channel\$1) near5 (particular\$2 accord \$4 associat\$4 match\$3) near5 (process\$2)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S70	6	(channel\$1) near5 belong\$3 near5 (particular\$2 accord \$4 associat\$4 match\$3) near5 (process\$2)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
S71	502	(channel\$1) near9 (virtual\$2 near3 link \$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:36
S72	0	S71 near9 (administrati\$4 near4 (machine\$1 node\$1 system\$1 server\$1))	USPAT; IBM_TDB	OR	OFF	2009/08/29 11:01
S73	37	S71 and (administrati\$4 near4 (machine\$1 node\$1 system\$1 server\$1))	USPAT; IBM_TDB	OR	OFF	2009/08/29 11:01
S74	6	S73 and (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 11:02
S75	0	S74 and (open near3 socket\$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 11:02

S76	69	S71 and (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 11:02
-----	----	-------------------------------------	-------------------	----	-----	---------------------

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L77	1340	((713/151) or (713/154) or (726/2) or (726/3) or (726/5) or (726/6) or (726/15) or (726/30) or (709/200) or (709/201) or (709/203) or (709/213) or (709/214) or (709/215) or (711/147) or (711/148) or (711/149) or (380/201) or (380/202) or (380/241) or (380/33)).CCLS.	UPAD	OR	OFF	2010/03/03 09:47
L78	435483	(table\$1 list\$3 record \$1) near4 (id identi \$9 information\$1 data security name \$1 address\$1)	USPAT; UPAD	OR	OFF	2010/03/03 09:47
L79	6	(channel\$1) near5 belong\$3 near5 (particular\$2 accord \$4 associat\$4 match \$3) near5 (process \$2)	USPAT; UPAD	OR	OFF	2010/03/03 09:47
L80	3814	(channel\$1) near5 (belong\$3 particular \$2 accord\$4 associat \$4 match\$3) near5 (process\$2)	USPAT; UPAD	OR	OFF	2010/03/03 09:47
L81	0	L77 and L78 and L79 and L80	USPAT; UPAD	OR	OFF	2010/03/03 09:47
L82	3	L77 and L78 and L80	USPAT; UPAD	OR	OFF	2010/03/03 09:47

L83	3	(node\$1 and process \$2 and packet\$1 and associat\$4 and identification\$1 and administrative and table).clm.	US-PGPUB	OR	OFF	2010/03/03 09:47
L84	0	(node\$1 and process \$2 and packet\$1 and associat\$4 and security and administrative and virtual and address).clm.	US-PGPUB	OR	OFF	2010/03/03 09:47
L85	0	(node\$1 and process \$2 and packet\$1 and associat\$4 and security and virtual and sockt and address).clm.	US-PGPUB	OR	OFF	2010/03/03 09:47
L86	1340	((713/151) or (713/154) or (726/2) or (726/3) or (726/5) or (726/6) or (726/15) or (726/30) or (709/200) or (709/201) or (709/203) or (709/213) or (709/214) or (709/215) or (711/147) or (711/148) or (711/149) or (380/201) or (380/202) or (380/241) or (380/33)).CCLS.	UPAD	OR	OFF	2010/03/03 09:57
L87	5	(node\$1 and process \$2 and packet\$1 and associat\$4 and identification\$1 and security and table).clm.	US-PGPUB	OR	OFF	2010/03/03 09:59

S77	1636	((713/151) or (713/154) or (726/2) or (726/3) or (726/5) or (726/6) or (726/15) or (726/30) or (709/200) or (709/201) or (709/203) or (709/213) or (709/214) or (709/215) or (711/147) or (711/148) or (711/149) or (380/201) or (380/202) or (380/241) or (380/33)).CCLS.	UPAD	OR	OFF	2009/08/29 10:36
S78	430337	(table\$1 list\$3 record \$1) near4 (id identi \$9 information\$1 data security name \$1 address\$1)	USPAT; UPAD	OR	OFF	2009/08/29 10:37
S79	6	(channel\$1) near5 belong\$3 near5 (particular\$2 accord \$4 associat\$4 match \$3) near5 (process \$2)	USPAT; UPAD	OR	OFF	2009/08/29 10:38
S80	3748	(channel\$1) near5 (belong\$3 particular \$2 accord\$4 associat \$4 match\$3) near5 (process\$2)	USPAT; UPAD	OR	OFF	2009/08/29 10:38
S81	0	S77 and S78 and S79 and S80	USPAT; UPAD	OR	OFF	2009/08/29 10:53
S82	3	S77 and S78 and S80	USPAT; UPAD	OR	OFF	2009/08/29 10:54
S83	3	(node\$1 and process \$2 and packet\$1 and associat\$4 and identification\$1 and administrative and table).clm.	US-PGPUB	OR	OFF	2009/08/29 10:56

S84	0	(node\$1 and process \$2 and packet\$1 and associat\$4 and security and administrative and virtual and address). clm.	US-PGPUB	OR	OFF	2009/08/29 10:57
S85	0	(node\$1 and process \$2 and packet\$1 and associat\$4 and security and virtual and sockt and address).clm.	US-PGPUB	OR	OFF	2009/08/29 10:57

3/ 3/ 10 9:59:58 AM

C:\ Documents and Settings\ LHa\ My Documents\ EAST\ Workspaces\ 09457914.wsp